

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name ZEOSIL 1165MP

1.2 Relevant identified uses of the substance or mixture and uses advised against**Uses of the Substance/Mixture**

- Manufacture of rubber products

1.3 Details of the supplier of the safety data sheet**Company**

Solvay USA Inc.,
SILICA,
504 CARNEGIE CENTER
PRINCETON NJ 08540, USA
Tel.: 844-564-6116

1.4 Emergency telephone number

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture**HCS 2012 (29 CFR 1910.1200)**

- Not a hazardous product according to the OSHA Globally Harmonized System (GHS).

2.2 Label elements**HCS 2012 (29 CFR 1910.1200)**

- Not a hazardous product according to the OSHA Globally Harmonized System (GHS).

2.3 Other hazards which do not result in classification

- Mild respiratory irritant.
- By mechanical effect
- Slightly irritating to eyes and skin.
- NO particular fire or explosion hazard.
- Electrostatic charges may build up by swirling, pneumatic transport, pouring, etc.

SECTION 3: Composition/information on ingredients**3.1 Substance**

Hazardous Ingredients and Impurities

Chemical name	Identification number CAS-No.	Concentration [%]
Results are expressed in relation to the dry product. Alternative CAS N°: 7631-86-9		
Precipitated Amorphous Silica	112926-00-8	>= 98

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Non Hazardous Ingredients and Impurities

Chemical name	Identification number CAS-No.	Concentration [%]
Sodium sulfate	7757-82-6	<= 2

3.2 Mixture

Not applicable, this product is a substance.

SECTION 4: First aid measures**4.1 Description of first aid measures****In case of inhalation**

- Move to fresh air.
- Keep at rest.
- If symptoms persist, call a physician.

In case of skin contact

- If on skin, rinse well with water.
- If skin irritation persists, call a physician.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If eye irritation persists, consult a physician

In case of ingestion

- Rinse mouth with water.
- If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed**Effects**

- Skin contact may aggravate existing skin disease
- Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.
- Treat symptomatically.
- There is no specific antidote available.

SECTION 5: Firefighting measures

Flash point	Not applicable (non-flammable solid)
Auto-ignition temperature	not auto-flammable
Flammability/Explosive limit	Lower flammability/explosion limit : Not applicable Upper flammability/explosion limit : Not applicable

5.1 Extinguishing media**Suitable extinguishing media**

- All extinguishing agents can be used.
- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

- None known.

5.2 Special hazards arising from the substance or mixture**Specific hazards during firefighting**

- Not combustible.
- Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.

Hazardous combustion products:

- No hazardous combustion products are known

5.3 Advice for firefighters**Special protective equipment for firefighters**

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

Specific fire fighting methods

- Use appropriate means for fighting adjacent fires.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Avoid contact with eyes
- Safety glasses
- Personal protective equipment
- Respiratory protection

6.2 Environmental precautions

- No harmful effect to the environment is known or expected under normal conditions of use.

6.3 Methods and materials for containment and cleaning up

Recovery

- Sweep up and shovel into suitable containers for disposal.

Decontamination/cleaning

- Wash off with plenty of water.
- Recover the cleaning water for subsequent disposal.

Disposal

- Treat recovered material as described in the section "Disposal considerations".

Additional advice

- Avoid dust formation.

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.
- Ensure all equipment is electrically grounded before beginning transfer operations.
- Avoid dust formation.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
- (1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- (2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- (3) Wash exposed skin promptly to remove accidental splashes or contact with material.

Dust explosion class

- St0

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

- Do not stack the pallets.
- Protect from moisture.
- Store away from heat.

Packaging material

Suitable material

- Polypropylene bags
- Paper bags

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters**Components with workplace occupational exposure limits**

Components	Value type	Value	Basis
Precipitated Amorphous Silica			Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
		See table Z-3	
Precipitated Amorphous Silica	TWA	20 Million particles per cubic foot	Occupational Safety and Health Administration - Table Z-3 Mineral Dusts
		Form of exposure : Dust Based on impinger samples counted by light-field techniques., mppcf X 35.3 = million particles per cubic meter = particles per c.c.Expressed as :Silica	
Precipitated Amorphous Silica	TWA	80 mg/m3 / %SiO2	Occupational Safety and Health Administration - Table Z-3 Mineral Dusts
		Form of exposure : Dust Expressed as :Silica	
Precipitated Amorphous Silica	TWA	6 mg/m3	National Institute for Occupational Safety and Health
		Expressed as :Silica	
Precipitated Amorphous Silica	TWA	4 mg/m3	Solvay Acceptable Exposure Limit
Particulates not otherwise regulated	PEL	15 mg/m3	Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
		Form of exposure : Total dust	
Particulates not otherwise regulated	PEL	5 mg/m3	Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
		Form of exposure : Respirable fraction	

8.2 Exposure controls

Control measures

Engineering measures

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :
- Local exhaust
- Dust must be extracted directly at the point of origin.

Individual protection measures

Respiratory protection

- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.
- Under normal conditions, in the absence of other airborne contaminants, the following devices should provide protection from this material up to the conditions specified by the appropriate local standard(s):
- Respirator with a dust filter

Hand protection

- For prolonged or repeated contact use protective gloves.

Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
- Eye contact should be prevented through the use of:
- Safety glasses

Skin and body protection

- Long sleeved clothing

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
- (1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- (2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- (3) Wash exposed skin promptly to remove accidental splashes or contact with material.

Protective measures

- The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards and/or risks that may occur during use.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	<u>Form:</u> Micropearls <u>Physical state:</u> solid <u>Colour:</u> white
<u>Odour</u>	None
<u>Odour Threshold</u>	Not applicable
<u>Molecular weight</u>	60.2 g/mol
<u>pH</u>	5.0 - 9.0 (5 % (m/m)) (aqueous suspension)
<u>Melting point/freezing point</u>	<u>Melting point/range:</u> > 3,092 °F (> 1,700 °C)
<u>Initial boiling point and boiling range</u>	Not applicable
<u>Sublimation point</u>	Not applicable
<u>Flash point</u>	Not applicable (non-flammable solid)
<u>Evaporation rate (Butylacetate = 1)</u>	Not applicable
<u>Flammability (solid, gas)</u>	Not applicable
<u>Flammability/Explosive limit</u>	<u>Lower flammability/explosion limit:</u> Not applicable <u>Upper flammability/explosion limit:</u> Not applicable
<u>Auto-ignition temperature</u>	not auto-flammable
<u>Vapour pressure</u>	Not applicable
<u>Vapour density</u>	Not applicable
<u>Density</u>	2.1 g/cm ³ Intrinsic <u>Bulk density:</u> 250 - 350 kg/m ³ Packaged Product

<u>Relative density</u>	No data available
<u>Solubility</u>	<u>Water solubility:</u> 120 - 160 mg/l (68 °F (20 °C)) <u>Solubility in other solvents:</u> No data available
<u>Partition coefficient: n-octanol/water</u>	Not applicable
<u>Decomposition temperature</u>	Not applicable
<u>Viscosity</u>	<u>Viscosity, dynamic :</u> Not applicable <u>Viscosity, kinematic :</u> Not applicable
<u>Explosive properties</u>	Not applicable
<u>Oxidizing properties</u>	Not considered as oxidizing

9.2 Other information

<u>Oxidation/Reduction Potential</u>	Not applicable
<u>Hygroscopicity</u>	hygroscopic
<u>Dust explosion constant</u>	Particle size < 63µm St0

SECTION 10: Stability and reactivity

10.1 Reactivity

- No hazards to be specially mentioned.

10.2 Chemical stability

- Stable under normal conditions.

10.3 Possibility of hazardous reactions

- No dangerous reaction known under conditions of normal use.

spontaneous polymerisation

- Hazardous polymerisation does not occur.

10.4 Conditions to avoid

- None known.

10.5 Incompatible materials

- Chlorine trifluoride
- Fluorine
- Hydrogen fluoride
- Oxygen Difluoride
- Strong oxidizing agents

10.6 Hazardous decomposition products

- No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity

LD50 : > 5,000 mg/kg - Rat
Unpublished reports

Acute inhalation toxicity

Risk of physical blockage of the upper respiratory tract
By analogy
An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity

LD50 > 5,000 mg/kg - Rabbit
Unpublished reports

Acute toxicity (other routes of administration)

No data available

Skin corrosion/irritation

Prolonged or repeated contact may dry skin and cause irritation.

Serious eye damage/eye irritation

Dust contact with the eyes can lead to mechanical irritation.

Respiratory or skin sensitisation

Humans
no cutaneous sensitisation reaction observed
Unpublished reports

Mutagenicity

Genotoxicity in vitro

In vitro tests did not show mutagenic effects
Unpublished reports

Genotoxicity in vivo

In vivo tests did not show mutagenic effects
Unpublished reports

Carcinogenicity

Rat
Oral exposure
Animal testing did not show any carcinogenic effects.
Unpublished reports

Mouse
Oral exposure
Animal testing did not show any carcinogenic effects.
Unpublished reports

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

IARC
OSHA
ACGIH
NTP
IARC
OSHA
ACGIH

Toxicity for reproduction and development**Toxicity to reproduction/Fertility**

Precipitated Amorphous Silica

Fertility and developmental toxicity tests did not reveal any effect on reproduction., Unpublished reports

Developmental Toxicity/Teratogenicity

Precipitated Amorphous Silica

Oral
General Toxicity Maternal NOAEL: 1,350 mg/kg bw/day
Teratogenicity NOAEL:1,350mg/kg bw/day
OECD Test Guideline 414
no embryotoxic or teratogenic effects have been observed, Unpublished reports

Oral
General Toxicity Maternal NOAEL: 1,340 mg/kg bw/day
Teratogenicity NOAEL:1,340mg/kg bw/day
OECD Test Guideline 414
no embryotoxic or teratogenic effects have been observed, Unpublished reports

STOT**STOT - single exposure**

The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria.

STOT - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.

If inhaled No irreversible effect or symptom of silicosis was observed during the inhalation toxicity tests.
Unpublished reports

Oral exposure No irreversible effects were observed during chronic oral toxicity tests.
Unpublished reports

Neurological effects No neurotoxic effects observed.

Experience with human exposure

Experience with human exposure : Inhalation

Mild respiratory irritant.
Unpublished reports

Aspiration toxicity Not applicable

SECTION 12: Ecological information

12.1 Toxicity

Aquatic Compartment

Acute toxicity to fish LC50 - 96 h : > 10,000 mg/l - Danio rerio (zebra fish)
Unpublished reports

Acute toxicity to daphnia and other aquatic invertebrates. EC50 - 24 h : > 1,000 mg/l - Daphnia magna (Water flea)
Unpublished reports

Toxicity to aquatic plants

Precipitated Amorphous Silica

By analogy

EL50 - 72 h : > 10,000 mg/l - Desmodesmus subspicatus (green algae)
static test

End point: Growth rate

Method: OECD Test Guideline 201

No quantifiable LC/LL50 or EC/EL50 at the limit of solubility

Freshwater species

Result expressed in nominal loading rate (product tested as a saturated solution or as a WAF/WSF)

Unpublished reports

By analogy

NOELR - 72 h : 10,000 mg/l - Desmodesmus subspicatus (green algae)
static test

End point: Growth rate

Method: OECD Test Guideline 201

No quantifiable EC/EL10 or NOEC/NOELR at the limit of solubility

Freshwater species

Result expressed in nominal loading rate (product tested as a saturated solution or as a WAF/WSF)

Unpublished reports

Toxicity to microorganisms No data available

Chronic toxicity to fish No data available

Chronic toxicity to daphnia and other aquatic invertebrates. No data available

Chronic Toxicity to aquatic plants No data available

12.2 Persistence and degradability

Abiotic degradation

Photodegradation

Precipitated Amorphous Silica

Photodegradation
The product is chemically stable.
Not expected

Physical- and photo-chemical elimination

No data available

Biodegradation

Biodegradability

Inert mineral product. Not degradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water No data available

Bioconcentration factor (BCF)

Not bioaccumulable.
Published data

12.4 Mobility in soil

Adsorption potential (Koc)

Precipitated Amorphous Silica

Mobility
Soil/sediments
complexation/precipitation

Solubility(ies)
Water
non-significant hydrolysis

Volatility
Air

Known distribution to environmental compartments

Ultimate destination of the product : Soil

Ultimate destination of the product : Sediment

12.5 Results of PBT and vPvB assessment

Precipitated Amorphous Silica Not applicable (inorganic substance)

12.6 Other adverse effects**Ecotoxicity assessment****Acute aquatic toxicity**

The product does not have any known adverse effects on the aquatic organisms tested

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product Disposal**

- Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

Prohibition

- Should not be released into the environment.
- Dispose of contents/ container to an approved waste disposal plant.
- Dispose of in accordance with local regulations.

Waste Code

- Environmental Protection Agency
- Hazardous Waste – NO

Advice on cleaning and disposal of packaging

- Dispose of in accordance with local regulations.

SECTION 14: Transport information**DOT**

not regulated

TDG

not regulated

NOM

not regulated

IMDG

not regulated

IATA

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information

15.1 Notification status

Inventory Information	Status
United States TSCA Inventory	- On TSCA Inventory
Canadian Domestic Substances List (DSL)	- All components of this product are on the Canadian DSL
Australia Inventory of Chemical Substances (AICS)	- On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- On the inventory, or in compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- On the inventory, or in compliance with the inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- On the inventory, or in compliance with the inventory
Taiwan. Chemical Substance Inventory (TCSI)	- Listed on Inventory
Mexico INSQ (INSQ)	- Listed on Inventory
EU. European Registration, Evaluation, Authorisation and Restriction of Chemical (REACH)	- If product is purchased from Solvay in Europe it is in compliance with REACH, if not please contact the supplier.

Additional Information

- for USA Inventory (TSCA) purposes, this product is identified as: silicon dioxide (CAS-No. : 7631-86-9)

15.2 Federal Regulations

US. EPA EPCRA SARA Title III

SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	yes
Chronic Health Hazard	no

Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

This material does not contain any components with a SARA 302 RQ.

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

This material does not contain any components with a section 304 EHS RQ.

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

This material does not contain any components with a CERCLA RQ.

15.3 State Regulations**US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information**NFPA (National Fire Protection Association) - Classification**

Health	1 slight
Flammability	0 minimal
Instability or Reactivity	0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health	1 slight
Flammability	0 minimal
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

Further information

- This sheet was updated (refer to the date at the top of this page). Subheadings and text which have been modified since the previous version are indicated with two vertical bars.

Date Prepared: 11/16/2017

Key or legend to abbreviations and acronyms used in the safety data sheet

- PEL Permissible exposure limit (PEL)
- TWA Time weighted average
- SAEL Solvay Acceptable Exposure Limit
- ACGIH American Conference of Governmental Industrial Hygienists
- OSHA Occupational Safety and Health Administration
- NTP National Toxicology Program
- IARC International Agency for Research on Cancer
- NIOSH National Institute for Occupational Safety and Health

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.